

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 20.08.2013

Revision: 07.08.2013

## 1 Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** Ductmate 5511M
- **Article number:** 5511M
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the preparation** Sealant
- **1.3 Details of the supplier of the Safety Data Sheet**
- **Manufacturer/Supplier:**  
Ductmate Industries, Inc.  
210 5th St.  
Charleroi, PA 15022  
Phone: 800-990-8459
- **1.4 Emergency telephone number:**  
ChemTel Inc.  
(800)255-3924, +1 (813)248-0585



## 2 Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
The product is not classified according to the CLP regulation.
- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC** Not applicable.
- **Information concerning particular hazards for human and environment:**  
The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
- **Classification system:**  
The classification is according to the latest editions of the EU-lists, and extended by company and literature data.  
The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** N/A
- **Hazard pictograms** N/A
- **Signal word** N/A
- **Hazard statements** N/A
- **Additional information:**  
Safety data sheet available on request.
- **Hazard description:**
- **WHMIS-symbols:** Not hazardous under WHMIS.
- **NFPA ratings (scale 0 - 4)**



(Contd. on page 2)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 20.08.2013

Revision: 07.08.2013

**Trade name: Ductmate 5511M**

(Contd. of page 1)

- **HMIS-ratings (scale 0 - 4)**

HEALTH	0	Health = 0
FIRE	1	Fire = 1
REACTIVITY	0	Reactivity = 0

- **HMIS Long Term Health Hazard Substances**

14808-60-7	quartz (non-respirable forms only)
13463-67-7	titanium dioxide

- **2.3 Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **3.2 Mixtures**

- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 1332-58-7	Kaolin substance with a Community workplace exposure limit	25-50%
CAS: 68527-27-5 EINECS: 271-267-0 Index number: 649-282-00-2	Naphtha (petroleum), full-range alkylate, butane-contg. ☒ Xn R65 Carc. Cat. 2, Muta. Cat. 2 ☠ Asp. Tox. 1, H304	<10%
CAS: 97488-94-3 EC number: 307-033-2 Index number: 649-430-00-6	Kerosine (petroleum), solvent-refined hydrodesulfurized ☒ Xn R65 ☠ Asp. Tox. 1, H304	<10%
CAS: 68551-17-7 EINECS: 271-336-9	Odorless mineral spirits ☒ Xn R65 ☠ Flam. Liq. 3, H226 ☠ Asp. Tox. 1, H304	<10%
CAS: 14808-60-7	quartz (non-respirable forms only) substance with a Community workplace exposure limit	<10%
	N-Tallow Trimethylenediamine Oleates ☒ Xi R36	<10%
CAS: 13463-67-7 EINECS: 236-675-5	titanium dioxide	<10%

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

### 4 First aid measures

- **4.1 Description of first aid measures**

- **General information:** Take affected persons out into the fresh air.

(Contd. on page 3)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 20.08.2013

Revision: 07.08.2013

**Trade name: Ductmate 5511M**

(Contd. of page 2)

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**  
Remove contact lenses if worn.  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed**  
Gastric or intestinal disorders.  
Thirst  
Dizziness
- **Hazards** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
Medical supervision for at least 48 hours.  
If necessary oxygen respiration treatment.  
Treat skin and mucous membrane with antihistamine and corticoid preparations.

## 5 Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
Alcohol resistant foam  
Foam  
Fire-extinguishing powder  
Carbon dioxide  
Gaseous extinguishing agents  
Water haze or fog
- **For safety reasons unsuitable extinguishing agents:**  
Water with full jet  
Water spray
- **5.2 Special hazards arising from the substance or mixture**  
Formation of toxic gases is possible during heating or in case of fire.
- **5.3 Advice for firefighters**
- **Protective equipment:**  
Wear self-contained respiratory protective device.  
Wear fully protective suit.
- **Additional information**  
Cool endangered receptacles with water fog or haze.  
No further relevant information available.

## 6 Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Use respiratory protective device against the effects of fumes/dust/aerosol.  
Keep away from ignition sources.  
Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation

(Contd. on page 4)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 20.08.2013

Revision: 07.08.2013

Trade name: Ductmate 5511M

(Contd. of page 3)

- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Pick up mechanically.  
Clean the affected area carefully; suitable cleaners are:  
Organic solvent  
Ensure adequate ventilation.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

- **7.1 Precautions for safe handling**  
Use only in well ventilated areas.  
Prevent formation of dust.  
Take note of emission threshold.
- **Information about fire - and explosion protection:** Keep ignition sources away - Do not smoke.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:**  
Store away from foodstuffs.  
Do not store together with oxidizing and acidic materials.
- **Further information about storage conditions:**  
Store in dry conditions.  
Protect from humidity and water.  
Keep container tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

### 1332-58-7 Kaolin

PEL (USA)	15* 5** mg/m <sup>3</sup> *total dust **respirable fraction
REL (USA)	10* 5** mg/m <sup>3</sup> *total dust **respirable fraction
TLV (USA)	2* mg/m <sup>3</sup> E; as respirable fraction
EL (Canada)	2 mg/m <sup>3</sup>

(Contd. on page 5)

## Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 20.08.2013

Revision: 07.08.2013

Trade name: Ductmate 5511M

(Contd. of page 4)

EV (Canada)	2(D) mg/m <sup>3</sup> respirable
<b>14808-60-7 quartz (non-respirable forms only)</b>	
PEL (USA)	see Quartz listing
REL (USA)	0,05* mg/m <sup>3</sup> *respirable dust; See Pocket Guide App. A
TLV (USA)	0,025* mg/m <sup>3</sup> *as respirable fraction
EL (Canada)	0,025 mg/m <sup>3</sup> ACGIH A2; IARC 1
EV (Canada)	0,10* mg/m <sup>3</sup> *respirable fraction

- **DNELs** No further relevant information available.
- **PNECs** No further relevant information available.
- **Additional information:** The lists valid during the making were used as basis.

- **8.2 Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

- **Respiratory protection:**

Not necessary if room is well-ventilated.

Use respiratory protection when grinding or cutting material.

For spills, respiratory protection may be advisable.

Use suitable respiratory protective device in case of insufficient ventilation.

NIOSH approved organic vapor respirator equipped with a dust/mist prefilter should be used.

- **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **For the permanent contact gloves made of the following materials are suitable:** Rubber gloves

(Contd. on page 6)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 20.08.2013

Revision: 07.08.2013

Trade name: Ductmate 5511M

(Contd. of page 5)

· **Eye protection:**

Safety glasses

- **Body protection:** Protective work clothing
- **Limitation and supervision of exposure into the environment**  
No further relevant information available.
- **Risk management measures**  
See Section 7 for additional information.  
No further relevant information available.

## 9 Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**· **General Information**· **Appearance:**

- |                           |                 |
|---------------------------|-----------------|
| · <b>Form:</b>            | Viscous         |
| · <b>Colour:</b>          | Whitish         |
| · <b>Odour:</b>           | Solvent-like    |
| · <b>Odour threshold:</b> | Not determined. |

- |                    |                 |
|--------------------|-----------------|
| · <b>pH-value:</b> | Not determined. |
|--------------------|-----------------|

· **Change in condition**

- |                                       |               |
|---------------------------------------|---------------|
| · <b>Melting point/Melting range:</b> | Undetermined. |
| · <b>Boiling point/Boiling range:</b> | Undetermined. |

- |                       |                  |
|-----------------------|------------------|
| · <b>Flash point:</b> | >200 °F / >94 °C |
|-----------------------|------------------|

- |   |                 |
|---|-----------------|
| · <b>Flammability (solid, gaseous):</b> | Not applicable. |
|---|-----------------|

- |                                |                 |
|--------------------------------|-----------------|
| · <b>Ignition temperature:</b> | Not determined. |
|--------------------------------|-----------------|

- |                                     |                 |
|-------------------------------------|-----------------|
| · <b>Decomposition temperature:</b> | Not determined. |
|-------------------------------------|-----------------|

- |                         |                               |
|-------------------------|-------------------------------|
| · <b>Self-igniting:</b> | Product is not self-igniting. |
|-------------------------|-------------------------------|

- |                               |   |
|-------------------------------|---|
| · <b>Danger of explosion:</b> | Product does not present an explosion hazard. |
|-------------------------------|---|

· **Explosion limits:**

- |                 |                 |
|-----------------|-----------------|
| · <b>Lower:</b> | Not determined. |
| · <b>Upper:</b> | Not determined. |

- |                           |                 |
|---------------------------|-----------------|
| · <b>Vapour pressure:</b> | Not determined. |
|---------------------------|-----------------|

- |                            |                        |
|----------------------------|------------------------|
| · <b>Density at 20 °C:</b> | 1,65 g/cm <sup>3</sup> |
| · <b>Relative density</b>  | Not determined.        |
| · <b>Vapour density</b>    | Not determined.        |
| · <b>Evaporation rate</b>  | Not determined.        |

(Contd. on page 7)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 20.08.2013

Revision: 07.08.2013

Trade name: Ductmate 5511M

(Contd. of page 6)

- |   |  |
|---|--|
| <b>· Solubility in / Miscibility with water:</b>  | Not miscible or difficult to mix.          |
| <b>· Partition coefficient (n-octanol/water):</b> | Not determined.                            |
| <b>· Viscosity:</b>                               |  |
| <b>Dynamic:</b>                                   | Not determined.                            |
| <b>Kinematic:</b>                                 | Not determined.                            |
| <b>· Solvent content:</b>                         |  |
| <b>VOC (US EPA Method 24)</b>                     | 98 g/l                                     |
| <b>· 9.2 Other information</b>                    | No further relevant information available. |

## 10 Stability and reactivity

- **10.1 Reactivity**
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions**  
Reacts with strong oxidizing agents.  
Toxic fumes may be released if heated above the decomposition point.  
Reacts with strong acids.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:**  
Nitrogen oxides  
Carbon monoxide and carbon dioxide

## 11 Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** Slight irritant effect on skin and mucous membranes.
- **on the eye:** Slight irritant effect on eyes.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

## 12 Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** The product contains materials that are harmful to the environment.

(Contd. on page 8)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 20.08.2013

Revision: 07.08.2013

Trade name: Ductmate 5511M

(Contd. of page 7)

- **12.2 Persistence and degradability** The product is partially biodegradable. Significant residuals remain.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:**  
Due to mechanical actions of the product (e.g. agglutinations) damages may occur.  
The product is oxygen-consuming. The declared action may be partly caused by lack of oxygen.
- **Additional ecological information:**
- **General notes:**  
This statement was deduced from products with a similar structure or composition.  
Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Solvent naphtha

## 14 Transport information

- |  |     |
|--|-----|
| · <b>14.1 UN-Number</b>                  |     |
| · <b>DOT, ADR, ADN, IMDG, IATA</b>       | N/A |
| · <b>14.2 UN proper shipping name</b>    |     |
| · <b>DOT, ADR, ADN, IMDG, IATA</b>       | N/A |
| · <b>14.3 Transport hazard class(es)</b> |     |
| · <b>DOT, ADR, ADN, IMDG, IATA</b>       |     |
| · <b>Class</b>                           | N/A |
| · <b>14.4 Packing group</b>              |     |
| · <b>DOT, ADR, IMDG, IATA</b>            | N/A |

(Contd. on page 9)



# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 20.08.2013

Revision: 07.08.2013

Trade name: Ductmate 5511M

(Contd. of page 8)

- |   |                 |
|---|-----------------|
| <b>· 14.5 Environmental hazards:</b>  |                 |
| <b>· Marine pollutant:</b>  | No              |
| <b>· 14.6 Special precautions for user</b>  | Not applicable. |
| <b>· 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable. |
| <b>· UN "Model Regulation":</b>   | -               |

## 15 Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **United States (USA)**
- **SARA**

<b>· Section 355 (extremely hazardous substances):</b>	
--	--

None of the ingredients is listed.

<b>· Section 313 (Specific toxic chemical listings):</b>	
--	--

None of the ingredients is listed.

<b>· TSCA (Toxic Substances Control Act):</b>	
---	--

All ingredients are listed.

<b>· Proposition 65 (California):</b>	
---------------------------------------	--

<b>· Chemicals known to cause cancer:</b>	
---	--

Reference to Crystalline Silica and/or Quartz is based on unbound respirable particles and is not generally applicable to product as supplied.

Reference to Titanium Dioxide is based on unbound respirable particles and is not generally applicable to product as supplied.

14808-60-7	quartz (non-respirable forms only)
------------	------------------------------------

13463-67-7	titanium dioxide
------------	------------------

<b>· Chemicals known to cause reproductive toxicity for females:</b>	
--	--

None of the ingredients is listed.

<b>· Chemicals known to cause reproductive toxicity for males:</b>	
--	--

None of the ingredients is listed.

<b>· Chemicals known to cause developmental toxicity:</b>	
---	--

None of the ingredients is listed.

<b>· Carcinogenic Categories</b>	
----------------------------------	--

<b>· EPA (Environmental Protection Agency)</b>	
--	--

None of the ingredients is listed.

<b>· IARC (International Agency for Research on Cancer)</b>	
---	--

14808-60-7	quartz (non-respirable forms only)	1
------------	------------------------------------	---

13463-67-7	titanium dioxide	2B
------------	------------------	----

(Contd. on page 10)

# Safety Data Sheet

according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 20.08.2013

Revision: 07.08.2013

Trade name: Ductmate 5511M

(Contd. of page 9)

· <b>TLV (Threshold Limit Value established by ACGIH)</b>		
1332-58-7	Kaolin	A4
14808-60-7	quartz (non-respirable forms only)	A2
13463-67-7	titanium dioxide	A4
· <b>NIOSH-Ca (National Institute for Occupational Safety and Health)</b>		
14808-60-7	quartz (non-respirable forms only)	
13463-67-7	titanium dioxide	
· <b>OSHA-Ca (Occupational Safety &amp; Health Administration)</b>		
None of the ingredients is listed.		
· <b>Canada</b>		
· <b>Canadian Domestic Substances List (DSL)</b>		
All ingredients are listed.		
· <b>Canadian Ingredient Disclosure list (limit 0.1%)</b>		
None of the ingredients is listed.		
· <b>Canadian Ingredient Disclosure list (limit 1%)</b>		
14808-60-7	quartz (non-respirable forms only)	
· <b>15.2 Chemical safety assessment:</b> A Chemical Safety Assessment has not been carried out.		

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

R36 Irritating to eyes.

R65 Harmful: may cause lung damage if swallowed.

- **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

- **Sources**

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

(Contd. on page 11)

**Safety Data Sheet**  
according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and  
GHS

Printing date 20.08.2013

Revision: 07.08.2013

**Trade name: Ductmate 5511M**

Website: [www.chemtelinc.com](http://www.chemtelinc.com)

(Contd. of page 10)