acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: May 16, 2018

Revision: May 16, 2018

1 Identification

- [•] Product identifier
- Trade name: QuickStick
- · Other means of identification: No other identifiers

· Recommended use and restriction on use

- · Recommended use: Adhesive.
- · Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet

Manufacturer/Supplier: Ductmate Industries, Inc. 210 5th St. Charleroi, PA 15022 Phone: 800-990-8459



• Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)

2 Hazard(s) identification

[•] Classification of the substance or mixture

Press. Gas H280 Contains gas under pressure; may explode if heated.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Carc. 2 H351 Suspected of causing cancer.

STOT SE 3 H336 May cause drowsiness or dizziness.

Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms:



Signal word: Warning Hazard statements: H280 Contains gas under pressure; may explode if heated.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

H336 May cause drowsiness or dizziness.

· Precautionary statements:

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P233 Keep container tightly closed.
- P261 Avoid breathing mist, vapors, or spray.

(Cont'd. on page 2)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: May 16, 2018

Revision: May 16, 2018

Trade name: QuickStick

	(Cont'd. of page 1)
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection.
P302+P352	If on skin: Wash with plenty of soap and water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P312	Call a poison center/doctor if you feel unwell.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P337+P313	If eye irritation persists: Get medical advice/attention.
P405	Store locked up.
P410+P403	Protect from sunlight. Store in a well-ventilated place.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Other hazard	s There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

75 00 0	diable your other and	40 700
75-09-2	dichloromethane Carc. 2, H351 Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H336	40-70%
64741-65-7	Naphtha (petroleum), heavy alkylate Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315; STOT SE 3, H336	1-5%
68476-86-8	Petroleum gases, liquified, sweetened Flam. Gas 1, H220 Press. Gas, H280	1-5%
124-38-9	carbon dioxide	1-5%

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

4 First-aid measures

[•] Description of first aid measures

· After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

· After skin contact:

Wash with soap and water.

If skin irritation continues, consult a doctor.

(Cont'd. on page 3)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: May 16, 2018

Revision: May 16, 2018

Trade name: QuickStick

(Cont'd. of page 2) · After eye contact: Remove contact lenses if worn. Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing: Unlikely route of exposure. Rinse out mouth and then drink plenty of water. Do not induce vomiting; immediately call for medical help. Most important symptoms and effects, both acute and delayed: May cause drowsiness or dizziness. Irritating to eyes and skin. Headache Nausea in case of ingestion. Disorientation Unconsciousness Danger: Danger of disturbed cardiac rhythm. Vapors have narcotic effect. Suspected of causing cancer. May be harmful if inhaled. May be harmful if swallowed. Indication of any immediate medical attention and special treatment needed: Contains dichloromethane. Consult literature for specific antidotes. Do not administer preparations of the adrenalin-ephedrine-group. Medical supervision for at least 48 hours. If necessary oxygen respiration treatment. If medical advice is needed, have product container or label at hand.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:
- The product is not flammable.
- Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: None.
- Special hazards arising from the substance or mixture
- Danger of receptacles bursting because of high vapor pressure if heated. During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment:
- Wear self-contained respiratory protective device.
- Wear fully protective suit.

• Additional information: Cool endangered receptacles with water in flooding quantities.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation.

Use personal protective equipment as required.

(Cont'd. on page 4)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: May 16, 2018

Revision: May 16, 2018

Trade name: QuickStick

(Cont'd. of page 3)

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol. For large spills, evacuate area and contact authorities to perform cleanup.

• Environmental precautions Avoid release to the environment.

Methods and material for containment and cleaning up

Allow to evaporate.

Absorb liquid components with liquid-binding material.

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling

· Precautions for safe handling:

Use only in well ventilated areas.

Avoid splashes or spray in enclosed areas.

Avoid contact with the eyes and skin.

Keep out of reach of children.

Information about protection against explosions and fires:

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 120 °F / 49 °C, i.e. electric lights. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material.

• Conditions for safe storage, including any incompatibilities

• Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurized containers.

Avoid storage near extreme heat.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizers, strong acids, strong bases.

- Further information about storage conditions:
- Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.

Specific end use(s) No relevant information available.

8 Exposure controls/personal protection

[·] Control parameters

	s with limit values that require monitoring at the workplace:	
75-09-2 dichl	loromethane	
PEL (USA)	Short-term value: 125 ppm Long-term value: 25 ppm see 29 CFR 1910.1052	
REL (USA)	See Pocket Guide App. A	
TLV (USA)	Long-term value: 174 mg/m³, 50 ppm BEI	
	(Cont'	d. on page 5)

Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: May 16, 2018

Revision: May 16, 2018

Trade name: QuickStick

	(Cont'd. of page 4)			
EL (Canada)	Long-term value: 25 ppm			
	IARC 2A			
EV (Canada)	Long-term value: 175 mg/m ³ , 50 ppm			
LMPE (Mexico)	Long-term value: 50 ppm A3, IBE			
124-38-9 carbo	· · · · · · · · · · · · · · · · · · ·			
PEL (USA)	Long-term value: 9000 mg/m ³ , 5000 ppm			
REL (USA)	Short-term value: 54,000 mg/m³, 30,000 ppm Long-term value: 9000 mg/m³, 5000 ppm			
TLV (USA)	Short-term value: 54,000 mg/m³, 30,000 ppm Long-term value: 9000 mg/m³, 5000 ppm			
EL (Canada)	Short-term value: 15000 ppm			
	Long-term value: 5000 ppm			
EV (Canada)	Short-term value: 54,000 mg/m ³ , 30,000 ppm			
	Long-term value: 9,000 mg/m ³ , 5,000 ppm			
LMPE (Mexico)	Short-term value: 30000 ppm Long-term value: 5000 ppm			
-	h biological limit values:			
75-09-2 dichlor				
Med	BEI (USA) 0.3 mg/L Medium: urine Time: end of shift Parameter: Dichloromethane (semi-quantitative)			
The usual preca Keep away from Wash hands be Avoid contact wi Engineering co Breathing equi Suitable respirat	tive and hygienic measures: nutionary measures for handling chemicals should be followed. I foodstuffs, beverages and feed. fore breaks and at the end of work. ith the eyes and skin. ontrols: Provide adequate ventilation. pment: tory protective device recommended. oproved organic vapor respirator equipped with a dust/mist prefilter should be used.			
Protective gloves				
· Eye protection:				
Safety glasses				
 Body protectio Limitation and 	Follow relevant national guidelines concerning the use of protective eyewear. • Body protection: Solvent resistant protective clothing • Limitation and supervision of exposure into the environment No relevant information available.			

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: May 16, 2018

Revision: May 16, 2018

Trade name: QuickStick

(Cont'd. of page 5)

9 Physical and chemical properties		
· Information on basic physical and chemical properties		
· Appearance:		
Form:	Aerosol	
Color:	Blue-green.	
· Odor:	Solvent-like	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
• Melting point/Melting range:	Not applicable, as aerosol.	
 Boiling point/Boiling range: 	Not applicable, as aerosol.	
· Flash point:	The product is not flammable.	
· Flammability (solid, gaseous):	Not applicable.	
· Auto-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Danger of explosion:	Not determined.	
· Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
 Oxidizing properties: 	Not determined.	
· Vapor pressure:	Not determined.	
· Density:		
Relative density:	1.16	
Vapor density:	Not determined.	
Evaporation rate:	>3	
 Solubility in / Miscibility with 		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/water): Not determined.		
·Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Other information	No relevant information available.	

10 Stability and reactivity

· Reactivity: No relevant information available.

· Chemical stability: Stable under normal temperatures and pressures.

• Thermal decomposition / conditions to be avoided:

Danger of receptacles bursting because of high vapor pressure if heated.

Possibility of hazardous reactions

Reacts with strong oxidizing agents.

Reacts with strong acids and alkali.

(Cont'd. on page 7)

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: May 16, 2018

Revision: May 16, 2018

Trade name: QuickStick

(Cont'd. of page 6)

2A

R

(Cont'd. on page 8)

Reacts with certain metals. Toxic fumes may be released if heated above the decomposition point. • Conditions to avoid Excessive heat. • Incompatible materials Oxidizers, strong bases, strong acids • Hazardous decomposition products Under fire conditions only: Carbon monoxide and carbon dioxide Chlorine compounds Hydrogen chloride (HCI)

11 Toxicological information					
	TUXICUI	uyicai ii	normation		
	Information on toxicological effects				
	· Acute toxicity: May be harmful if swallowed or if inhaled.				
	LD/LC50	values the	at are relevant for classification:		
	75-09-2 di	ichlorome	sthane		
	Oral	LD50	>2000 mg/kg (rat)		
			88 mg/l (rat)		
	64741-65-		a (petroleum), heavy alkylate		
	Oral	LD50	>6000 mg/kg (rat)		
	Dermal	LD50	>3000 mg/kg (rabbit)		
			>7.8 mg/l (rat)		
	Primary in				
			to skin and mucous membranes.		
 On the eye: Irritating effect. Sensitization: Based on available data, the classification criteria are not met. 					
· IARC (International Agency for Research on Cancer):					
75-09-2 dichloromethane					
· NTP (National Toxicology Program):					
	75-09-2 dichloromethane				
· OSHA-Ca (Occupational Safety & Health Administration):					
75-09-2 dichloromethane					
Probable route(s) of exposure:					
	Inhalation.				
	Eye contact. Skin contact.				

· Germ cell mutagenicity: Based on available data, the classification criteria are not met.

• Reproductive toxicity: Based on available data, the classification criteria are not met.

• Aspiration hazard: Based on available data, the classification criteria are not met.

• STOT-repeated exposure: Based on available data, the classification criteria are not met.

· Carcinogenicity: Suspected of causing cancer.

• STOT-single exposure: May cause drowsiness or dizziness.

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: May 16, 2018

Revision: May 16, 2018

Trade name: QuickStick

(Cont'd. of page 7)

12 Ecological information

· Toxicity

· Aquatic toxicity Harmful to aquatic life with long lasting effects.

- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.

Mobility in soil: No relevant information available.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

· Other adverse effects No relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

· Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

[·] UN-Number	
· DOT, ADR, IMDG, IATA	UN1950
UN proper shipping name	
DOT	Aerosols
· ADR, IMDG	AEROSOLS
ΙΑΤΑ	Aerosols, non-flammable, containing substances Division 6.1, Packing Group III
[·] Transport hazard class(es)	
DOT	
Class	2.2
· Label	2.2, 6.1

Safety Data Sheet acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: May 16, 2018

Revision: May 16, 2018

rade name: QuickStick	
	(Cont'd. of page 8
ADR	
Class	2 5T
· Label · · · · · · · · · · · · · · · · · · ·	2.2+6.1
· Class · Label	2.2 2.2/6.1
·IATA	
· Class · Label	2.2 2.2 (6.1)
· Packing group	This UN-number is not assigned a packing group.
 Environmental hazards Marine pollutant: 	No
• Special precautions for user	Warning: Gases
 Danger code (Kemler): EMS Number: 	- F-D,S-U
[·] Transport in bulk according to Anne	x II of
MARPOL73/78 and the IBC Code	Not applicable.
[•] Transport/Additional information:	
·DOT	
$\mathbf{\vee}$	s than 30 kg gross and inner packagings less than 120 mL.
ADR	s than 30 kg gross and inner packagings less than 120 mL.
· IMDG	
	(Cont'd. on page 1

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: May 16, 2018

Revision: May 16, 2018

Trade name: QuickStick

(Cont'd. of page 9)

Limited Quantity for packages less than 30 kg gross and inner packagings less than 120 mL.

· IATA



Limited Quantity for packages less than 30 kg gross and inner packagings less than 120 mL.

15 Regulatory infor	mation
---------------------	--------

Safety, health and environmental regulations/legislation specific for the substance or mixture

· United States (USA)

· SARA

· Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

75-09-2 dichloromethane

• TSCA (Toxic Substances Control Act)

All ingredients are listed.

Proposition 65 (California)

· Chemicals known to cause cancer:

75-09-2 dichloromethane

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

• Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

• EPA (Environmental Protection Agency):

75-09-2 dichloromethane

· IARC (International Agency for Research on Cancer):

75-09-2 dichloromethane

Canadian Domestic Substances List (DSL):

All ingredients are listed.

L

2A

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Printing date: May 16, 2018

Revision: May 16, 2018

Trade name: QuickStick

(Cont'd. of page 10)

16 Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Abbreviations and acronyms: ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistant, Bio-accumulable, Toxic vPvB: very Persistent and very Bioaccumulative OSHA: Occupational Safety & Health Administration Flam. Gas 1: Flammable gases - Category 1 Press. Gas: Gases under pressure - Compressed gas Press. Gas: Gases under pressure - Liquefied gas Flam. Liq. 3: Flammable liquids - Category 3 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Carc. 2: Carcinogenicity - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Asp. Tox. 1: Aspiration hazard - Category 1 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com